



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/620,612	07/17/2003	Eric T. Stubbs	M4065.0322/P322-A	9666
24998	7590 01/23/2006	EXAMINER		INER
DICKSTEIN SHAPIRO MORIN & OSHINSKY LLP 2101 L Street, NW Washington, DC 20037			ANDERSON, MATTHEW D	
			ART UNIT	PAPER NUMBER
			2186	

DATE MAILED: 01/23/2006

Please find below and/or attached an Office communication concerning this application or proceeding.

		Application No.	Applicant(s)			
Office Action Summary		10/620,612	STUBBS ET AL.			
		Examiner	Art Unit			
		Matthew D. Anderson	2186			
	The MAILING DATE of this communication appears on the cover sheet with the correspondence address Period for Reply					
THE - Exte after - If the - If NC - Failu Any	ORTENED STATUTORY PERIOD FOR REP MAILING DATE OF THIS COMMUNICATION nsions of time may be available under the provisions of 37 CFR SIX (6) MONTHS from the mailing date of this communication. Experiod for reply specified above is less than thirty (30) days, a reply period for reply is specified above, the maximum statutory period reply within the set or extended period for reply will, by statureply received by the Office later than three months after the mailed patent term adjustment. See 37 CFR 1.704(b).	1. 1.136(a). In no event, however, may a reply be ti eply within the statutory minimum of thirty (30) da id will apply and will expire SIX (6) MONTHS fron ute, cause the application to become ABANDONE	mely filed ys will be considered timely. n the mailing date of this communication. ED (35 U.S.C. § 133).			
Status						
1)⊠	Responsive to communication(s) filed on <u>11 January 2006</u> .					
2a)⊠	This action is FINAL . 2b) ☐ Th	nis action is non-final.				
3)[Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under <i>Ex parte Quayle</i> , 1935 C.D. 11, 453 O.G. 213.					
Dispositi	ion of Claims					
5)□ 6)⊠ 7)□	<u> </u>					
Applicati	on Papers					
9) ☐ The specification is objected to by the Examiner. 10) ☑ The drawing(s) filed on 17 July 2003 is/are: a) ☑ accepted or b) ☐ objected to by the Examiner. Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a). Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).						
11)	The oath or declaration is objected to by the B	Examiner. Note the attached Office	e Action or form PTO-152.			
Priority u	ınder 35 U.S.C. § 119					
 12) Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f). a) All b) Some * c) None of: 1. Certified copies of the priority documents have been received. 2. Certified copies of the priority documents have been received in Application No 3. Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)). * See the attached detailed Office action for a list of the certified copies not received. 						
Attachmen	` '					
2) 🔲 Notic 3) 🔲 Inforr	e of References Cited (PTO-892) e of Draftsperson's Patent Drawing Review (PTO-948) nation Disclosure Statement(s) (PTO-1449 or PTO/SB/06 r No(s)/Mail Date	4) Interview Summary Paper No(s)/Mail D 5) Notice of Informal F 6) Other:				

Application/Control Number: 10/620,612

Art Unit: 2186

DETAILED ACTION

Page 2

Claim Rejections - 35 USC § 112

- 1. The following is a quotation of the first paragraph of 35 U.S.C. 112:
 - The specification shall contain a written description of the invention, and of the manner and process of making and using it, in such full, clear, concise, and exact terms as to enable any person skilled in the art to which it pertains, or with which it is most nearly connected, to make and use the same and shall set forth the best mode contemplated by the inventor of carrying out his invention.
- 2. Claims 34-44 and 53-56 are rejected under 35 U.S.C. 112, first paragraph, as failing to comply with the written description requirement. The claim(s) contains subject matter which was not described in the specification in such a way as to reasonably convey to one skilled in the relevant art that the inventor(s), at the time the application was filed, had possession of the claimed invention. It is not clearly apparent to the Examiner where there is support in the original disclosure for the newly added limitation "said second presence detect information related to <u>only</u> said semiconductor memory device." Any related portions of the specification found appear to differ in scope from the claimed "only said semiconductor memory device".

Claim Rejections - 35 USC § 103

- 3. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:
 - (a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.
- 4. Claims 34-40 and 53-56 are rejected under 35 U.S.C. 103(a) as being unpatentable over Dell et al. (US Patent # 6,092,146) and Bosnyak (US Patent # 4,625,162).

Art Unit: 2186

5. With respect to claim 34, Dell et al. disclose:

a signaling circuit for encoding presence detect data comprising: a first signal encoding portion for encoding first presence detect information, said first presence detect information being disposed in a hard-wired circuit of an integrated circuit semiconductor memory device (figure 1, item 100) during the manufacturing of said integrated semiconductor memory device, said hard-wired circuit formed during manufacturing of said semiconductor memory device, by teaching in Table 1 in column 6 of serial presence detect (SPD) data being factory set;

and a second signal encoding portion for encoding second presence detect information said second information being disposed in a programmable circuit of said semiconductor memory device, said programmable circuit programmed subsequent to manufacturing of said semiconductor memory device, by teaching in Table 1 and the subsequent tables indicated therein for the programming of particular SPD bytes;

wherein said second presence detect information is related to only said integrated circuit semiconductor memory device, by teaching in figure 1, that the presence detect bits in the PLD and EEPROM being related to device 100.

- 6. With respect to claim 35, Dell et al. disclose data relating to a storage capacity of said semiconductor memory device, as shown in Table 3.2 in column 7.
- 7. With respect to claim 36, Dell et al. disclose data relating to a data bus width of said semiconductor memory device, as shown by the data width sizes in Table 2.1.
- 8. With respect to claim 37, Dell et al. disclose data relating to a data access speed of said semiconductor memory device, as shown in Table 4.2 in column 7.

9. With respect to claim 38, Dell et al. disclose data relating to a column address strobe latency of said semiconductor memory device, as shown in Table 3.2 in column 7.

- 10. With respect to claim 39, Dell et al. disclose data relating to a data refresh rate of said semiconductor memory device, as discussed in column 5, lines 60+.
- 11. With respect to claim 40, Dell et al. disclose data relating to an interface voltage of said semiconductor memory device, as discussed in column 6, lines 5+.
- 12. With respect to claim 53, Dell et al. disclose:

receiving a first signal at a memory controller from said memory integrated circuit (figure 1, item 100), said first signal encoding first presence detect information hardwired into said memory integrated circuit during manufacturing of said memory integrated circuit, by teaching in Table 1 in column 6 of serial presence detect (SPD) data being factory set;

and receiving a second signal at a memory controller from said memory integrated circuit, said second signal encoding second presence detect information programmed into said memory integrated circuit subsequent to manufacturing of said memory integrated circuit, by teaching in Table 1 and the subsequent tables indicated therein for the programming of particular SPD bytes.

- 13. With respect to claim 54, Dell et al. disclose receiving a control signal at said memory integrated circuit from said memory controller, said control signal being related to at least one of said first signal and said second signal, as shown in figure 4.
- 14. With respect to claim 55, Dell et al. disclose receiving an address signal at said memory integrated circuit from said memory controller, said address signal having a format related to at

Art Unit: 2186

least one of said first signal and said second signal, as shown by the RAS and CAS signals in figure 4.

- 15. With respect to claim 56, Dell et al. disclose recognizing an identity of said memory integrated circuit at said memory controller based on said first and second signals, by teaching in Table 1 of using the SPD bytes to determine the memory type or configuration type.
- 16. With respect to independent claims 34 and 53, Dell teaches all other limitations as discussed above, but fails to specifically disclose said first presence detect data having one of a first value associated with a short circuit within said hardwired circuit and a second value associated with an open circuit within said hardwired circuit. Bosnyak teaches in column 1, lines 24-30, that array bits are set to one of two logical states by either keeping the fuse for that bits intact (short circuit), or blowing the fuse to create and open circuit.
- 17. It would have been obvious to one of ordinary skill in the art, having the teachings of Dell *et al.* and Bosnyak before him at the time the invention was made, to modify the factory setting taught by Dell *et al.*, to instead be hardwired as in the conventional art of Bosnyak, in order to provide static settings, as taught by Bosnyak.
- 18. Claims 41-44 are rejected under 35 U.S.C. 103(a) as being unpatentable over Dell et al. and Bosnyak.
- 19. With respect to claims 41, Dell et al. and Bosnyak teach all other limitations as discussed above, including wherein said first signal portion and said second signal portion comprise first and second serial data signals respectively, as shown in Table 1, but does not specifically

disclose said first and second serial data signals being adapted to be transmitted over a single data line.

Page 6

- 20. It would have been obvious to one of ordinary skill in the art, having the teachings of Dell et al. and Bosnyak before him at the time the invention was made, to modify the presence detect bits taught by Dell et al., to be sent over a single data line in order to conserve chip space, as well known in the art.
- 21. With respect to claims 42-44, the difference between Dell et al. and Bosnyak and the claims is the claims recite the circuit being a fuse device, antifuse device, or a transistor-based device. However, the specific use of these particular device types does not have a disclosed purpose nor are disclosed to overcome any deficiencies in the prior art. Accordingly, it would have been an obvious matter to one skilled in the art to utilize the circuitry of Dell et al. and Bosnyak with any of these types of devices in order to gain their benefits, since applicant has not disclosed that a particular device type, as opposed to other memory devices, overcomes a deficiency in the prior art or is for any stated purpose.
- 22. Claims 34-44 and 53-56 are rejected under 35 U.S.C. 103(a) as being unpatentable over Dell et al. and Bosnyak.
- 23. In addition to that discussed above, with respect to claims 34 and 53, assuming arguendo, the difference between Dell et al. and Bosnyak and the claims is the claims recite the presence detect data being stored on an integrated semiconductor memory device. However, the specific use of an integrated device does not have a disclosed purpose nor are disclosed to overcome any

Art Unit: 2186

deficiencies in the prior art. Accordingly, it would have been an obvious matter to one skilled in the art to utilize the circuitry of Dell *et al.* and Bosnyak as an integrated semiconductor device, since applicant has not disclosed that a particular device type, as opposed to other memory devices, overcomes a deficiency in the prior art or is for any stated purpose. See also MPEP 2144.04 as to why making elements integral would be merely a matter of obvious engineering choice. Additionally, it would be obvious that if all elements are integrated, then the second presence detect bits would only be related to the integrated device itself.

- 24. Claims 34-44 and 53-56 are rejected under 35 U.S.C. 103(a) as being unpatentable over Dell et al., Bosnyak, and Gowda et al. (US Patent # 6,275,259).
- 25. In addition to that discussed above, with respect to claims 34 and 53, assuming arguendo, the difference between Dell *et al.* and Bosnyak and the claims is the claims recite the first presence detect data being hardwired instead of factory set, as disclosed in Dell et al.. Gowda et al. though teaches in column 4, lines 28-34, that the factory setting of the present invention allows for the use of algorithms implemented in digital circuitry for the automatic gain control function.
- 26. It would have been obvious to one of ordinary skill in the art, having the teachings of Dell et al., Bosnyak, and Gowda et al. before him at the time the invention was made, to modify the factory setting taught by Dell et al. and Bosnyak, to instead be hardwired as in the conventional art of Gowda et al., in order to provide static settings, as taught by Gowda et al..

Art Unit: 2186

Response to Arguments

27. Applicant's arguments filed 1/11/06 have been fully considered but they are not persuasive.

- Applicants' attempts to define "hardwired" as not programmable are not supported by the specification. The hardwired presence detect bits in page 10, lines 28-29 correspond to those in lines 23-24, which clearly states that those presence detect bits are programmed. Therefore, it is clear that the claimed "hardwired" does NOT mean that the bits are not programmed, and will not be interpreted as such. Because "hardwired" is not limited to bits that are not programmed, the factory set bits in Dell are considered to be hardwired.
- 29. Applicant then alleges that the prior art of record does not disclose presence detect information related to only said integrated circuit semiconductor memory. This limitation is discussed in paragraph 5 and 23 above.
- 30. Applicant then alleges that the prior art of record does not disclose an integrated circuit semiconductor memory device. The Examiner maintains that the claimed "device" is an overly broad term that could indeed include the memory adapter 100 of Dell. Assuming arguendo that such is not true, the Examiner has repeated in paragraph 23 above that such would be obvious.
- 31. For these reasons, the rejections to claims 34-44 and 53-56 are maintained.

Conclusion

32. Applicant's amendment necessitated the new ground(s) of rejection presented in this Office action. Accordingly, **THIS ACTION IS MADE FINAL**. See MPEP § 706.07(a). Applicant is reminded of the extension of time policy as set forth in 37 CFR 1.136(a).

Art Unit: 2186

A shortened statutory period for reply to this final action is set to expire THREE MONTHS from the mailing date of this action. In the event a first reply is filed within TWO MONTHS of the mailing date of this final action and the advisory action is not mailed until after the end of the THREE-MONTH shortened statutory period, then the shortened statutory period will expire on the date the advisory action is mailed, and any extension fee pursuant to 37 CFR 1.136(a) will be calculated from the mailing date of the advisory action. In no event, however, will the statutory period for reply expire later than SIX MONTHS from the date of this final action.

33. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Matthew D. Anderson whose telephone number is (571) 272
4177. The examiner can normally be reached on Monday-Thursday.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Matthew M. Kim can be reached on (571) 272-4182. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

Matthew D. Anderson Primary Examiner

Art Unit 2186